

```

FREQUENCIES VARIABLES=X Y
  /STATISTICS=STDDEV VARIANCE RANGE MINIMUM MAXIMUM MEAN MEDIAN MODE SUM
  /HISTOGRAM NORMAL
  /ORDER=ANALYSIS.

```

Frequencies

Notes

Output Created		24-JUN-2022 23:20:46
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	38
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=X Y /STATISTICS=STDDEV VARIANCE RANGE MINIMUM MAXIMUM MEAN MEDIAN MODE SUM /HISTOGRAM NORMAL...
Resources	Processor Time	00:00:00.41
	Elapsed Time	00:00:00.41

[DataSet1]

Statistics

	Pemberian Tugas	Hasil Belajar
N	Valid 37	37
	Missing 1	1
Mean	82,41	84,03
Median	82,00	85,00
Mode	79 ^a	80
Std. Deviation	4,259	4,598
Variance	18,137	21,138
Range	16	19
Minimum	74	76
Maximum	90	95
Sum	3049	3109

a. Multiple modes exist. The smallest value is shown

Frequency Table


Pemberian Tugas


	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 74	1	2,6	2,7	2,7
77	1	2,6	2,7	5,4
78	5	13,2	13,5	18,9
79	6	15,8	16,2	35,1
80	1	2,6	2,7	37,8
81	3	7,9	8,1	45,9
82	5	13,2	13,5	59,5
83	3	7,9	8,1	67,6
84	2	5,3	5,4	73,0
87	1	2,6	2,7	75,7
88	6	15,8	16,2	91,9
89	1	2,6	2,7	94,6
90	2	5,3	5,4	100,0
Total	37	97,4	100,0	
Missing System	1	2,6		
Total	38	100,0		

Hasil Belajar

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	76	1	2,6	2,7	2,7
	78	2	5,3	5,4	8,1
	80	12	31,6	32,4	40,5
	82	1	2,6	2,7	43,2
	83	1	2,6	2,7	45,9
	85	10	26,3	27,0	73,0
	87	1	2,6	2,7	75,7
	90	8	21,1	21,6	97,3
	95	1	2,6	2,7	100,0
	Total	37	97,4	100,0	
Missing	System	1	2,6		
Total		38	100,0		

Histogram





```
NPAR TESTS  
  /K-S(NORMAL)=X Y  
  /STATISTICS DESCRIPTIVES  
  /MISSING ANALYSIS.
```

NPar Tests

Notes

Output Created	24-JUN-2022 23:21:07	
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	38
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable (s) used in that test.
Syntax		NPAR TESTS /K-S(NORMAL)=X Y /STATISTICS DESCRIPTIVES /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00
	Number of Cases Allowed ^a	157286

a. Based on availability of workspace memory.

[DataSet1]

Descriptive Statistics

	N	Mean	Std. Deviation	Minimum	Maximum
Pemberian Tugas	37	82,41	4,259	74	90
Hasil Belajar	37	84,03	4,598	76	95

One-Sample Kolmogorov-Smirnov Test

		Pemberian Tugas	Hasil Belajar
N		37	37
Normal Parameters ^{a,b}	Mean	82,41	84,03
	Std. Deviation	4,259	4,598
Most Extreme Differences	Absolute	,149	,215
	Positive	,139	,215
	Negative	-,149	-,146
Kolmogorov-Smirnov Z		,905	1,307
Asymp. Sig. (2-tailed)		,386	,066

a. Test distribution is Normal.

b. Calculated from data.

ONEWAY X BY Y
 /STATISTICS HOMOGENEITY
 /MISSING ANALYSIS.

Oneway

Notes

Output Created	24-JUN-2022 23:21:23	
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	38
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax	ONEWAY X BY Y /STATISTICS HOMOGENEITY /MISSING ANALYSIS.	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

[DataSet1]

Test of Homogeneity of Variances

Pemberian Tugas

Levene Statistic	df1	df2	Sig.
1,684	3	28	,193

ANOVA

Pemberian Tugas

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	610,477	8	76,310	50,344	,000
Within Groups	42,442	28	1,516		
Total	652,919	36			

REGRESSION

```

/DESCRIPTIVES MEAN STDDEV CORR SIG N
/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA COLLIN TOL CHANGE ZPP
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT Y
/METHOD=ENTER X.

```

Regression

Notes

Output Created	24-JUN-2022 23:21:46	
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	38
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax	REGRESSION /DESCRIPTIVES MEAN STDDEV CORR SIG N /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA COLLIN TOL CHANGE ZPP /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y /METHOD=ENTER X.	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02
	Memory Required	1356 bytes
	Additional Memory Required for Residual Plots	0 bytes

[DataSet1]

Descriptive Statistics

	Mean	Std. Deviation	N
Hasil Belajar	84,03	4,598	37
Pemberian Tugas	82,41	4,259	37

Correlations

		Hasil Belajar	Pemberian Tugas
Pearson Correlation	Hasil Belajar	1,000	,949
	Pemberian Tugas	,949	1,000
Sig. (1-tailed)	Hasil Belajar	.	,000
	Pemberian Tugas	,000	.
N	Hasil Belajar	37	37
	Pemberian Tugas	37	37

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Pemberian Tugas ^b	.	Enter

a. Dependent Variable: Hasil Belajar

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics	
					R Square Change	F Change
1	,949 ^a	,900	,897	1,477	,900	313,950

Model Summary

Model	Change Statistics		
	df1	df2	Sig. F Change
1	1	35	,000

a. Predictors: (Constant), Pemberian Tugas

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	684,647	1	684,647	313,950	,000 ^b
	Residual	76,326	35	2,181		
	Total	760,973	36			

a. Dependent Variable: Hasil Belajar

b. Predictors: (Constant), Pemberian Tugas

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-,357	4,769		-,075	,941
	Pemberian Tugas	1,024	,058	,949	17,719	,000

Coefficients^a

Model		Correlations			Collinearity Statistics	
		Zero-order	Partial	Part	Tolerance	VIF
1	(Constant)					
	Pemberian Tugas	,949	,949	,949	1,000	1,000

a. Dependent Variable: Hasil Belajar

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions	
				(Constant)	Pemberian Tugas
1	1	1,999	1,000	,00	,00
	2	,001	39,259	1,00	1,00

a. Dependent Variable: Hasil Belajar

MEANS TABLES=X BY Y
 /CELLS MEAN COUNT STDDEV
 /STATISTICS LINEARITY.

Means

Notes

Output Created	24-JUN-2022 23:22:22	
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	38
Missing Value Handling	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.
	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
Syntax		MEANS TABLES=X BY Y /CELLS MEAN COUNT STDDEV /STATISTICS ...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02

[DataSet1]

Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
Pemberian Tugas * Hasil Belajar	37	97,4%	1	2,6%	38	100,0%

Report

Pemberian Tugas

Hasil Belajar	Mean	N	Std. Deviation
76	74,00	1	.
78	78,00	2	1,414
80	78,83	12	,937
82	83,00	1	.
83	81,00	1	.
85	82,90	10	1,729
87	83,00	1	.
90	88,38	8	,744
95	90,00	1	.
Total	82,41	37	4,259

ANOVA Table

		Sum of Squares	df
Pemberian Tugas * Hasil Belajar	Between Groups (Combined)	610,477	8
	Linearity	587,430	1
	Deviation from Linearity	23,047	7
	Within Groups	42,442	28
	Total	652,919	36

ANOVA Table

		Mean Square	F
Pemberian Tugas * Hasil Belajar	Between Groups (Combined)	76,310	50,344
	Linearity	587,430	387,545
	Deviation from Linearity	3,292	2,172
	Within Groups	1,516	
	Total		

ANOVA Table

		Sig.
Pemberian Tugas * Hasil Belajar	Between Groups (Combined)	,000
	Linearity	,000
	Deviation from Linearity	,068
	Within Groups	
	Total	

Measures of Association

	R	R Squared	Eta	Eta Squared
Pemberian Tugas * Hasil Belajar	,949	,900	,967	,935

SAVE OUTFILE='D:\TELCO PROJECT\Z_INDANH FILE\indah\TUGAS AKHIR - JURNAL\SPSS\OKE 37 SAMPEL.sa